WFU PickAtlas User Manual v3.0

ANSIR Laboratory Wake Forest University School of Medicine





SCHOOL of MEDICINE

WFU PickAtlas version 3.0 User Manual Joseph Maldjian, MD

1. SOFTWARE DESCRIPTION, INSTALLATION AND SETUP	3
1.1 DESCRIPTION	3
1.2 HARDWARE AND SOFTWARE REOUIREMENTS	3
1.3 PROGRAM INSTALLATION	3
1.4 REFERENCING THE SOFTWARE	4
2. USING THE WFU_PICKATLAS	5
2.1 GUI LAYOUT	5
2.2 GENERATING MASKS USING THE PICKATLAS TOOL	5
2.3 GENERATING A MASK IN BASIC MODE	6
2.4 GENERATING A MASK IN ADVANCED MODE	7
2.5 COORDINATE CONVERTER	7
2.5 COORDINATE CONVERTER	8
2.6 MASK DILATION	8
2.7 SHAPE DEFINITION	9
2.8 TABLE GENERATION	10
2.9 COMMAND LINE USE	10
3 ROI ANALYSIS	11
3.1 PERFORMING ATLAS-BASED ROI ANALYSES IN SPM:	11
3.2 SELECTING A SAVED MASK FILE	11
3.3 SELECTING AN ROI USING THE PICKATLAS	11
4 USING RESULTS VIEWER	12
4.1 STARTING THE RESULTS VIEWER	12
4.2 THE RESULTS VIEWER INTERFACE	12
4.3 THE SAMPLE DATASET	14
4.4 SPM DATASET	14
4.5 FSL DATASET	14
4.6 AFNI DATASET	16
5. TECHNICAL NOTES	18
5.1 INTEGRATION WITH SPM	18
5.2 ATLAS MODIFICATIONS	19
5.3 ACCESSING THE ATLASES	19
REFERENCES	19

1. Software Description, Installation and Setup

1.1 Description

The PickAtlas software toolboxes [1, 2] provide methods for generating ROI masks based on the Talairach Daemon (TD) database [3, 4] as well as other human and non-human animal atlases, and exploring analysis results. The TD atlases include Brodmann area, Lobar, Hemisphere, Anatomic Label (gyral anatomy) and Tissue Type. The atlases have been extended to the vertex in MNI space (see Atlas Modifications under Technical Notes). Other atlases included in this release are the AAL atlas, ICBM label atlas, the UNC primate Brain Atlas (rhesus), the Virginia Tech/Wake Forest Vervet atlas, and the Brookhaven National Laboratory Mouse Atlas. Additional atlases can be added without much difficulty (see Developer's manual). The toolbox was developed in the ANSIR Laboratory at the Wake Forest University School of Medicine. Questions can be referred to maldjian@wfubmc.edu .

1.2 Hardware and Software Requirements

Matlab

The wfu_pickatlas toolboxes require at least Matlab 2008a.

SPM

The wfu_pickatlas and wfu_results toolboxes can run outside of SPM. All toolboxes are compatible with SPM8 (from the <u>Wellcome Trust Centre for Neuroimaging</u>, London, UK).

Linux

The toolbox has been evaluated on Linux platforms.

Windows

It has not been extensively evaluated for Windows. The minimum screen resolution must be 1280x1024 or all the buttons will not appear.

1.3 Program Installation

The WFU_PickAtlas toolbox can be obtained at www.ansir.wfubmc.edu .

Uncompress and untar the the gz file in a temporary location.

Copy the wfu_pickatlas, wfu_results, and wfu_tbx_common directories to the toolbox directory of your SPM installation.

If you are using WINZIP to extract the tar file version of the distribution, you must turn off the "Tar file smart CR/LF conversion option" (found under Options, Configuration, Miscellaneous, Other). If this option is not turned off, the wfu_pickatlas.fig will be corrupted and the program will not start.

This will create several subdirectories called wfu_pickatlas, wfu_results, and wfu_tbx_common in your SPM toolbox directory. When run from the SPM Toolboxes pull-down menu, the appropriate toolbox path will be automatically prepended to the current Matlab path.

To run from the command line without first accessing the program from the SPM Toolboxes pull-down list, you will need to set your Matlab path to directly access the wfu_pickatlas directory:

Adding the WFU_PickAtlas toolboxes to the path

addpath(SPMpath/toolbox/wfu_pickatlas);

If the software is installed properly, you should be able to call up the graphical user interface (GUI) from the Matlab command prompt with:

Lauching the PickAtlas from the Matlab command prompt

wfu_pickatlas;

1.4 Referencing the software

When using this tool for a paper please reference [1, 2]:

Maldjian, JA, Laurienti, PJ, Burdette, JB, Kraft RA. An Automated Method for Neuroanatomic and Cytoarchitectonic Atlas-based Interrogation of fMRI Data Sets. NeuroImage 2003. 19:1233-1239.

Maldjian JA, Laurienti PJ, Burdette JH. Precentral Gyrus Discrepancy in Electronic Versions of the Talairach Atlas. Neuroimage 2004; 21(1) 450-455.

The above manuscripts provide a complete description of how the atlas volumes were generated and validated. If using any of the Talairach Daemon database atlases, please reference [3, 4]:

Lancaster JL, Summerln JL, Rainey L, Freitas CS, Fox PT. The Talairach Daemon, a database server for Talairach Atlas Labels. *NeuroImage* **1997**;5:S633

Lancaster JL, Woldorff MG, Parsons LM, et al. Automated Talairach atlas labels for functional brain mapping. *Hum Brain Mapp* **2000**;10:120-131

If using the included aal atlas, please also reference [5]:

Tzourio-Mazoyer N, Landeau B, Papathanassiou D, Crivello F, Etard O, Delcroix N, Mazoyer B, Joliot M. Automated anatomical labeling of activations in SPM using a macroscopic anatomical parcellation of the MNI MRI single-subject brain. Neuroimage. 2002; 15(1):273-89.

For other atlases please reference the sources cited in the pickatlas GUI using the "atlas information" button at the bottom of the left atlas selection pane.

2. Using the WFU_PickAtlas

2.1 GUI layout

The PickAtlas tool is divided into 3 primary columns (Figure 1). The left most column includes the atlases that can be used to generate a mask. The right most column is the working region that lists the areas to be included in the mask. The center column includes function buttons and an anatomic image with the selected mask overlaid. The lower most portion of the tool includes coordinate conversions and Talairach Daemon labels for any point that is chosen on the anatomic image as described below. The title bar of the left window reports the atlas in use. By double clicking on one of the atlases (i.e., Brodmann area+), the corresponding subregions are listed and the title bar updates to display that the Brodmann Area atlas is selected. Double clicking on any of the subregions moves it to the working regions pane (right). In Basic mode, anything in





the working region pane is automatically added to the mask and all operations are considered unions. In Advanced mode (see Figure 6), unions, intersections, and multiple combinations of regions are allowed. In advanced mode, the commit button must be pressed (appears under the working region pane) before an ROI is added to the final mask. Both Basic and Advanced mode allow the use of the dilation operator. The default operation is for a mask to be written with a single value for the masked region (a value of 1). The "Write Independent Regions" selector assigns a unique value to each region in the mask (up to 255).

The bottom of the GUI contains a coordinate converter for converting between display, MNI, and Talairach coordinate systems. Clicking on any point in the displayed image updates the coordinate values. Similarly, a point can be entered for any coordinate system and set using the corresponding GO button.

2.2 Generating masks using the PickAtlas Tool

The PickAtlas tool has basic (default) and advanced modes. The mode is set by choosing "basic" or "advanced" in the top middle column. In basic mode all areas are combined into a single union. In addition, any dilations (see section 2.8 Mask Dilation) are applied to all selected

regions. The advanced mode allows the user to combine unions and intersections and allows for differential dilations of selected subregions

2.3 Generating a mask in basic mode

The user can select a region to be included in a mask by double clicking the label or by clicking the "add" button. Multiple regions can be added to the ROI. In the example presented (Figure 2) Brodmann's areas 5 and 7 have been chosen. In addition, the regions have been dilated by using the 2D dilation function (note that in basic mode a dilation function is applied to ALL regions in the ROI). Selecting the 3D dilator results in a larger mask that is generated using a 3-D dilation function (Figure 3).

Masks can be limited to the right or left hemisphere by selecting "right" or "left" in the center column (Figure 4). The default is "Left + Right". The flip function is located above the anatomic image and allows the user to convert from neurological to radiological format. To perform a flip, the "Flip Lock" button must be turned off and the "Flip" button



been selected with a dilation of 1.

Flip Lock button. See section on Flip toggle button.

turned on. After performing a flip the image will be displayed in radiological format. Note that the "R" and "L" indicators are also flipped to correspond with the image. Selecting "Done" will write the mask.



2.4 Generating a mask in advanced mode

Advanced mode includes 2 panes in the right column (Figure 5). The upper pane displays the regions for the current working ROI. The bottom pane displays any committed ROIs. Advanced mode can be used to generate a single mask image with multiple different ROIs. As with basic mode, the user can select a region to be included in a mask by double clicking or by highlighting (single click) the region and clicking the "add" button. Any combination of unions and/or intersections can be performed. A union is performed by selecting multiple regions in the right upper box (middle click or cntl + right click) and selecting union below the working region box. Similarly, an intersection can be performed using the intersection button. Any one region can be dilated independent of the other regions by highlighting the region in the working regions box and entering a dilation value in the dilation box. The dilation is applied by pressing enter. Dilations must be performed prior to unions or intersections. Once an ROI is complete, "commit" should be clicked and the ROI will be moved to the right lower box. This region will now be included in any final mask. Further ROIs can be generated and committed to the final mask. Selecting "Done" will write the mask.



Figure 5. Advanced Mode. Figure demonstrates Advanced Mode use of the PickAtlas tool to generate ROIs for Frontal Eye Fields. The final mask window in this example contains a region defined for the FEFs. This includes Brodmann areas 6 and 8 from the Brodmann area atlas. These areas were dilated by 3 (noted beside each area with (d 3)). These were then joined using the Union feature. The middle frontal gyrus was then selected from the TD label atlas and intersected with the union of BA 6 and 8 to generate the final ROI. Below the Final Mask window is an equation window that shows the operators applied to the subregions. A union is represented by a "+" and an intersection by a "*".

2.5 Coordinate converter

The bottom portion of the GUI contains a coordinate converter. Clicking on any point in the displayed image updates the coordinate values for cube coordinate space (display space), MNI space, and Talairach space. Similarly, a point can be entered for any coordinate system and set using the corresponding GO button. The selectors to the right of the coordinate display can be used to choose which atlas to display values from. When available, alternate coordinate systems may be selected from the dropdown boxes to the left. The Interrogate Talairach Daemon selector at the bottom of the GUI can be used to interrogate the Talairach Daemon directly over the internet when one of the coordinate systems provides a Talairach transform. This uses the talairach.jar file which should work on all java-compatible systems. The selector at the right sets the search range (in mm) for interrogation of the Talairach Daemon. Values from the Talairach Daemon are returned in the matlab command window. The value boxes list the internal unique values assigned to the region from the selected atlas. These have no effect on the displayed mask, and are provided only for user interest.



Figure 6. Coordinate converter. Located at the bottom of the pickatlas GUI. Coordinates can be converted from display, MNI, or Talairach coordinate systems. The Interrogate Talairach Daemon function will probe the Talairach daemon over an internet connection using the provided search radius (mm).

2.6 Mask Dilation

The Brodmann atlas areas define a relatively thin cortical strip. In order to increase the volume of a masked area while maintaining its anatomic localization, we have incorporated the optional use of a morphologic dilatation operator using a unary 3x3 kernel. Note that use of the dilation function currently requires the Matlab Image Processing Toolbox. The user selects which regions to perform the dilation upon and the number of iterations before generating the final mask. When a dilation value is entered, the return key must be pressed for the dilation to take effect. This has the net effect of "growing" the region 1 voxel in each direction for every iteration of the dilatation function. This can be performed in 2D (in-plane) or 3D mode. The statistical inference for multiple comparisons is then based on the area of the dilated mask. In Basic Mode, all regions are dilated the same amount. However, in advanced mode, there is the capability to dilate each region independently. This added functionality may be useful for generating an intersection of anatomic and cytoarchitectural subregions. For example, the superior parietal lobule could be intersected with a dilated Brodmann area 7. Although the dilation function may extend the ROI beyond the strict anatomic borders defined by the atlas, the search region remains focused about the area of interest. It is important, however, that the investigator notes any area of activation that extends beyond the anatomic area of interest, especially with a large number of iterations of the dilation function (i.e., greater than 3). It is also important to treat the BA labels as candidate labels (within our atlas and the Talairach Daemon database atlas). These labels represent a generalization from Brodmann's descriptions as published in the 1988 atlas and rule-based boundaries assigned by the Talairach Daemon

developers. Although these labels provide a standardized approach to searches in spatially normalized images, they should not be overinterpreted as searching absolute anatomy.

2.7 Shape Definition

TheWFU_PickAtlas software includes a shapes menu allowing creation of either spheres or boxes of user defined center, radius, and dimensions. After clicking on the Shapes menu, a submenu for Sphere and Box will appear. When Sphere is clicked on, several new buttons in the center column will appear for defining the radius of the sphere and generating the object. The center can be user-defined by either clicking on the displayed image, or by directly inputting coordinates into the coordinate converter (at the bottom of the GUI). The coordinates can be input in either cube space, MNI space, or Talairach space.



Similarly, when the Box shape is clicked on, several new buttons will appear in the center column for defining the x,y and z dimensions (in mm). The center can be defined in a similar fashion as for the Spheres. Once a shape has been defined, it is available throughout the remainder of the session as a region that can be added or removed, with the full functionality of Basic and Advanced modes. Any defined shapes are given a new name based on the type of shape, and the shape dimensions. These generated shapes appear as objects under the Shapes submenu during the current WFU_PickAtlas session. A maximum of 32 shapes can be defined.



Figure 8. Shapes generation. Sphere radius and Box dimensions can be defined. Center is determined by inputting coordinates or by clicking on image.



remainder of the session just as any other region in the atlas. Shapes are labeled based on shape type, center, and dimensions.

2.8 Table Generation

The Generate Table function will apply the selected ROI to an image (or list of images) and create a tab-delimited text file listing some basic statistics for the selected region. A file selection GUI will open allowing the user to select individual images. Alternatively, a text file containing a list of images (with full path names) can also be selected.

2.9 Command line use

The PickAtlas tool can be invoked from the matlab command line by entering:

```
Command line usage
[regions,mask,filename] = wfu pickatlas;
```

The regions, mask and filename variables are optional outputs. Regions is a structure containing the selected regions. Mask contains the mask volume. Filename is the output filename. The routine can simply be called with:

Lauching the PickAtlas from the Matlab command prompt

wfu_pickatlas;

3 ROI Analysis

3.1 Performing atlas-based ROI analyses in SPM:

For SPM-based analyses, the ROI analysis feature has been moved from the SPM Results GUI to the pickatlas toolbox dropdown. Once the PickAtlas toolbox has been correctly installed, the wfu_pickatlas will be appear as a toolbox option under the toolbox dropdown as shown in Figure 10. Start the wfu_pickatlas toolbox. The PickAtlas will have a button in the central column of the screen called ANALYSIS as shown in Figure 11. When the

	SPM for functional MRI
Display	Check Reg Render
Toolbox: 👻	PPIs ImCalc DICOM Imp
DEM FieldMap	Utils Batch Quit
MEEGtools	(c) 1991,1994-2003,2005-2008
🚺 wfupickatlas	
Figure 10 To	olbox Selector with wfu_pickatlas

PickAtlas is started outside SPM, the button will not appear (see section 4 on "Results Viewer" for use outside of SPM). Selecting the ANALYSIS button will present a series of questions as if the "Results" button within SPM had been pressed. At the end of the results selection, the user will be prompted to select where the ROI for the analysis is to come from (Figure 11). This is

presented as "ROI analysis from" with the options "Saved File" and "Pickatlas GUI" buttons are presented. Each option is selected by clicking on the appropriate button. After the selection of a mask file or the creation of a new mask from the PickAtlas Tool the results process will continue but will be restricted to the region(s) contained in the mask file. The only change that will be noticeable to the user from this point on is that the mask will be



started outside SPM disabling the ANALYSIS button.

resliced and a completion meter will be displayed during this process. Because the mask area is generally smaller than the whole brain, the number of multiple comparisons will be reduced. Thus, results viewed using the PickAtlas Tool will include a small volume correction that will be

reflected in the p-values.

3.2 Selecting a saved mask file

If the user selects "saved File" then an SPM file selector GUI will open and the user will be able to select any NIfTI or Analyze

Figure 11 ROI Results select	tor
ROI analysis from	Saved File Pickatlas GUI
& extent threshold {voxels}	0
threshold {T or p value}	0.001

file. A Mask can be generated and saved using the PickAtlas Tool or can be generated using any method as long as it is normalized to MNI space and in NIfTI or Analyze format. After selecting a mask file the results process will continue.

3.3 Selecting an ROI using the PickAtlas

If the user selects "Pickatlas GUI", then the PickAtlas will open without an ANALYSIS or RESULTS button. See section 2 for creating masks with the PickAtlas. When "Done" is

selected in the PickAtlas, the ROI will be saved as NIfTI pair named atlas_mask_file.img in the SPM.mat directory. The results process continues from this point.

4 Using Results Viewer

The Results viewer allows users either within or outside of SPM to use the SPM inference engine for performing ROI-based analyses, thresholding and viewing of their data.

4.1 Starting the Results Viewer

The PickAtlas Results Viewer may be started from the PickAtlas GUI by selecting the RESULTS button. The RESULTS button will not appear if more than one PickAtlas is open at a time.

					WFU_Pick	Atlas Res	ults				<u>, </u>		
Options	Help												
Atlases		TD brodm	a Tí) Lob	es 👻	TD Hem	isp 👻						
Map or		samples	s/proce	ssing-	-spm/SP	M_MAT/	SPM.m						
Contras	t	left_hand.	_motor_	on			-			1000			
ROI		From Pick	Atlas				-			1313	23	h	
Correcti	on	FWE		F	DR	Nor	ne	B	110	15	24		L
Thresho	Id {T or	p value}	0.	0001		T (unc) =	3.837			2 20	200		
Extent {	voxels}		0							and the			
V	Vhole B	rain Stats		V	Vhole Bra	ain Label:	s			Con the second	-		
Si	ngle Cli	ister Stats		Sir	ngle Clus	ster Labe	ls						
							-						
Single	e Cluste	r TimeCou	rse		Show	v ROI			Temp MNI:	late Voxel -2 0 58 V	l: 46 64 'alue: 0	4 66 	
Single	tistics:	r TimeCou p-values adjus	ted for sear	ch voku	Show ne	v ROI			Temp MNI:	late Voxel −2 0 58 V	l: 46 64 'alue: 0	4 66)	_
Single Single	tistics:	r TimeCou p-values adjus	rse ted for sear uster-level	ch voku	Show	v ROI		peak-level	Temp MNI:	ilate Voxel -2 0 58 V	l: 46 64 'alue: 0 	4 66) (mm}	_
Single Sta	tistics:	r TimeCou p-values adjus of PFWE-corr	rse ted for sear uster-level ⁹ FDR-corr	rch voku	ne Puncorr	PFWE-cor	νr ^q FDR-co	peak-level	Temp MNI: (Zg)	Plate Voxel -2 0 58 V -2 0 58 P	l: 46 64 'alue: 0 x,y,z {	4 66) (mm)	-
Single Single Sta	tistics:	r TimeCou p-values adjus cl PFWE-corr 0.000	rse ted for seau uster-level ⁹ FDR-corr 0.000	<i>rch voku</i> . ^k E 1363	Puncorr 0.000		Υ ⁹ FDR-co 0.000	peak-level rr ⁷ 12.07	Temp MNI: (Z ₀) Inf	late Voxel -2 0 58 V -2 0 58 P	l: 46 62 'alue: 0 ×,y,z { 44 -	4 66) {mm}	- 54
Single Single set- p	tistics: level c 100 13	r TimeCou <i>p-vakues adjus</i> cl ^p FWE-corr 0.000	rse ted for seau uster-level %FIR-corr 0.000	rch voku ~ ^k E 1363	Puncorr 0.000	PFWE-cor 0.000	۳ ⁹ FDR-co 0.000 0.000	peak-level rr ⁷ 12.07 11.36	Temp MNI: (<i>Z</i> ₀) Inf	Puncorr 0.000 0.000	l: 46 62 'alue: 0 ×,y,z { 44 - 32 -	4 66) {mm} - 24 -20	- - 54
Single Single set- p 0.0	tistics: level c 100 13	r TimeCou p-vakues adjus cl PFWE-corr 0.000	rse ted for sea uster-level 9FDR-corr 0.000	rch voku - ^k E 1363	Puncorr 0.000	PFWE-cor 0.000 0.000 0.001	Ψ ⁻ Ψ ⁻ Φ. 000 0.000 0.004	peak-level rrr 7 12.07 11.36 5.84	Temp MNI: (Z _Q) Inf 5.47	Parte Voxel -2 0 58 V Puncorr 0.000 0.000 0.000	1: 46 64 'alue: 0 x,y,2 { 44 - 32 - 54 -	4 66) {mm} - 24 -20 -18	54 54 44
Single Single Sta	tistics: -level c 100 13	r TimeCou <i>p-values adjus</i> cl <i>P</i> FWE-corr 0.000	rse ted for sea uster-level ⁹ FDR-corr 0.000	<i>rch voku</i> ~ ^k E 1363	Puncorr 0.000	PFWE-cor 0.000 0.000 0.001 0.001		peak-level rrr 7 12.07 11.36 5.84 5.75	Temp MNI: (Z ₂) Inf 5.47 5.40	Aate Voxel -2 0 58 V Puncorr 0.000 0.000 0.000	1: 46 64 'alue: 0 x,y,z+ 44 - 32 - 54 - 32 -	4 66 (mm) - 24 -20 -18 -42	54 54 44 68
Single Single Sta set P 0.0	tistics: level c	r TimeCou <i>p-values adjus</i> cl <i>P</i> FWE-corr 0.000 0.000	rse ted for sea uster-level ⁹ FDR-corr 0.000	rch voku ~ ^k E 1363 684	8 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	PFWE-cor 0.000 0.001 0.001 0.001 0.001	Υr 9FDR-co 0.000 0.000 0.004 0.004 0.004	peak-level rrr 7 12.07 11.36 5.84 5.75 8.87	Temp MNI: (Z _Q) Inf 5.47 5.40 7.75	Aate Voxel -2 0 58 V Puncorr 0.000 0.000 0.000 0.000 0.000	1: 46 64 'alue: 0 ×,y,z+ 44 - 32 - 54 - 32 - 38 - 30 -	4 66) {mm} - 24 -20 -18 -42 - 54	54 54 44 68 - 28
Single Single Sta set p 0.0	tistics: level c 100 13	r TimeCou <i>p-values adjus</i> cl <i>P</i> FWE-corr 0.000 0.000	ted for seau uster-level @FDR-corr 0.000	rch voku ^ ^k E 1363 684	Show me Puncorr 0.000	PFWE-cor 0.000 0.001 0.001 0.001 0.001 0.000	•r •FJR-co 0.000 0.004 0.004 0.004 0.004	peak-level mr 7 11.36 5.84 5.75 8.87 7.34	Temp MNI: (Z _Q) Inf 5.47 5.40 7.75 6.66	Puncorr Puncorr 0.000 0.000 0.000 0.000 0.000 0.000	1: 46 64 'alue: 0 x,y,z + 44 - 32 - 54 - 32 - 30 - 22 -	4 66 (mm) - 24 -20 -18 -42 - 54	54 54 44 68 - 28 -26

4.2 The Results Viewer Interface

Figure 12 PickAtlas Results Viewer with sample SPM.mat loaded with an ROI from the PickAtlas of the right hemisphere.

The PickAtlas Results Viewer (Figure 12) consists of menu bar and three areas for interaction.

From the menu bar a statistical image may be loaded. Currently SPM, FSL, and AFNI datasets are imported with ease from File -> Open. Images from other statistical packages may also be opened with the user providing more input such as degrees of freedom and FWHM. The current session may also be saved for easy retrieval using File -> Save Session and loaded using

File -> Load Previous Session. The reports show in the bottom results area my be saved to an image (png, jpg, etc.) or text form using File -> Save Report.

The Options menu item allows changing the atlas or background image. Options also allows left/right flip and up/down flip. From here one can also set the default compute preferences and mouse handling. These preferences can be saved for the next session using Options -> Save Options for Next Session.

The Help menu item allows showing atlas information.

The upper left corner of the display area contains options affecting computation in the analysis or showing of labels. The first row allows selection of up to three atlases when viewing labels. ROI allows selection of an ROI from the PickAtlas or from a file. The six possible buttons display:

- Whole Brain Stats Statistics for all clusters.
- Single Cluster Stats Statistics for the currently selected cluster in the brain view. The pointer will move to the closest cluster selected by mouse click.
- Whole Brain Labels Labels, number of voxels, and other brief statistics for all clusters in the brain. The labels shown are from the three atlas buttons at the top.
- Single Cluster Labels Shows labels and brief statistics for the currently selected cluster. The pointer will move to the closest cluster selected by mouse click. See Figure 13a.
- Show ROI Replace activations on the brain with a white mask showing the extent of the ROI choosen by the ROI option. See Figure 13b.
- Single Cluster TimeCourse Only available for SPM statistics. Shows a cluster's mean and peak voxel timecourse. Optionally, the paradigm may be shown against the timecourse. See Figure 14.

oxels in cluster: 41	Peak T: 5.0803	Mean T: 4.2530	Std T	0.2814	
Atlas	Region	Label	Voxels	mean T	std of T
TD brodmann areas+	brodmann areas+	brodmann area 6	9	4.1797	0.1460
		brodmann area 24	7	4.6239	0.3341
TD Lobes	Lobes	Frontal Lobe	26	4.1682	0.2062
		Limbic Lobe	15	4.3999	0.3375
TD Hemispheres	Hemispheres	Right Cerebrum	41	4.2530	0.2814

Figure 13a Single Cluster Labels





The upper right contains a brain image that may be navigated using the slider. Optionally the brain may be manipulated through mouse scrollwhell and/or click and drag. These settings are set in the menu under options.

The bottom contains results dependent on button selection above it.

4.3 The sample dataset

Below are examples in opening data processed in SPM, FSL, and AFNI. The sample dataset is available online. Instructions on how each set was processed is included below. The images below show the Whole Brain Stats which allow for comparison.

4.4 SPM dataset

The SPM8 dataset was created through the SPM batch script found in the sample data at processing-spm/BatchProcssing.m. This is the simplest dataset to open. Select File-> Open, then select the desired SPM.mat. If the SPM.mat is not stored where its internal pointers indicate, then a message will allow you to keep this pointer or use the current directory where the SPM.mat is found. SPM dataset will allow you to open the timecourse file if desired. If the timecourse can be easily found the program will open it or it will prompt you to select the correct timecourse file. Whole brain statistics may be seen in figure 12.

4.5 FSL dataset

The FSL dataset was created with the feat file processing-fsl/paradigm.fsf. Additional steps are required to transform the statistics and mask into MNI space if the data is not pre-normalized. The sample data is in native space and had to have these additional steps. The full processing script is below. Lines are wrapped that end with a backslash.

FSL processing commands

```
Commands issued while in the samples/processing-fsl directory:
bet structural.nii structural_brain.nii
feat paradigm.fsf
flirt -in structural.nii -ref ${FSLDIR}/data/standard/MNI152_T1_2mm_brain \
      -out structural_MNI152 -applyxfm -init fmri.feat/reg/highres2standard.mat
cd fmri.feat
flirt -in mask.nii.gz -ref ${FSLDIR}/data/standard/MNI152_T1_2mm_brain \
      -out mask_MNI152 -applyxfm -init reg/example_func2standard.mat
cd stats
flirt -in tstat1.nii.gz -ref ${FSLDIR}/data/standard/MNI152_T1_2mm_brain \
      -out tstat1_MNI152 -applyxfm -init ../reg/example_func2standard.mat
flirt -in zstat1.nii.gz -ref ${FSLDIR}/data/standard/MNI152_T1_2mm_brain \
      -out tstat1_MNI152 -applyxfm -init ../reg/example_func2standard.mat
flirt -in zstat1.nii.gz -ref ${FSLDIR}/data/standard/MNI152_T1_2mm_brain \
      -out zstat1_MNI152 -applyxfm -init ../reg/example_func2standard.mat
```

Opening an FSL dataset is started by selecting File -> Open. Then select a normalized statistical image from the stats directory. The image should be recognized as FSL, but the Results Viewer will allow you to choose opening this file as an FSL Feat dataset or as a single image. If the FSL Feat dataset is selected, then appropriate information from the dataset will be entered into the import screen (Figure 15). Missing information will have to be entered manually. Results will then be shown in the Results Viewer (Figure 16).

4	FSL feat impo	nt		
Settings	imported from	feat directory		•
lten	ns related to all	contrasts		
Effective Residual Degrees of Free	edom		118	
Full Width Half Max (numeric vox	elsor	5mm 5mm 5m	m	
Whole brain mask		.sl/fmri.feat/mask_Mi	VI152.nii.gz	
	Contrast sne	rific		
left_finger_tap(tstat1_image)		feat/stats/tstat1_MN	II 152 nii az	
Statistic tyr)e	t stat		
Effective in	terest DOF	l Stat	1	-
left_finger_tap (zstat1 image)		feat/stats/zstat1 MN	- ↓ 152.nii.az	
Statistic typ	e	Z scor	e v	
Effective in	terest DOF		1	
			Done	
				-
Figure 15 FSL dataset op	en dialog			

						WFU_Pick	Atlas Resu	105					
Opti	ions H	lelp											
tlas	es		TD brodm	a 👻 TD) Lob	es 👻	TD Hemis	sp 🕶					
Лар (or		l/fm	ri.feat/st	tats/	tstat1_M	NI152.nii	.gz			-		
Contr	rast		left_finger	r_tap (tst	tat1 i	image)		-		1	as		
ROL			From Pick	Atlas				-		- 11	13 3	16.5	
Corre	ection		FWE		F	DR	Non	e	R		53	259	L
hres	shold	(⊤ or	p value}	0.0	0001		T (unc) =	3.839			2200	21	
xten	nt (vo>	(els}		0							SEP		
	Who	le Br	ain Stats		V	Vhole Bra	in Labels				scinding.	/	
	Singl	e Clu	ster Stats		Si	ngle Clus	ter Label	s l					
	igle Cl	uster	TimeCou	rse		Show	ROI			Temp	late Voyel	· 27 51 64	
Sin										MINI:	30 - 20 34	value. v	
SIN	Statist	ics: p	- values adjus cl	ted for sear uster-level	ch voku	me		q	eak-level			value: o	_
2 III 2 2	Statist set-level P	i cs: 	- values adjus cl PFWE-corr	<i>ted for sear</i> uster-level ⁹ FDR-corr	ch voku ^k E	Puncorr	PFWE-corr	P PFDR-cor	eak-level r ⁷	(Z _Q)	Puncorr	×,y,z (mm)	_
2 	Statist set-level p 0.000	ics: ; c 41	r- <i>values adjus</i> ci ci pFWE-corr 0.000	<i>ted for sear</i> uster-level ⁹ FDR-corr 0.000	ch voku ^k E 1198	me Puncorr 0.000	PFWE-corr 0.000	p <i>q</i> FDR-cor 0.000	eak-level r ⁷ 14.21	(Z _Q)	Puncorr 0.000	×,y,z (mm) 38 -26	- 54
- -	Statist set-level p 0.000	ics: ; c 41	P-vakies adjus cl PFWE-corr 0.000	ted for sear uster-level ⁹ FDR-corr 0.000	ch voku ^k E 1198	nne Puncorr 0.000	PFWE-corr 0.000 0.000	p 9FDR-cor 0.000 0.000	eak-level rr 7 14.21 9.01	(Z _Q) Imf 7.82	Puncorr 0.000 0.000	×,y,z {mm} 38 -26 42 -40	54 62
	Statist set-level p 0.000	ics: ; c 41	<mark>values adjus</mark> cl ₽FWE-corr 0.000	ted for sear uster-level ⁹ FDR-corr 0.000	<i>ch voku</i> ^k E 1198	me Puncorr 0.000	PFWE-corr 0.000 0.000 0.000	P • • • • • • • • • • • • • • • • • • •	eak-level r 7 14.21 9.01 6.95	(Z _Q) (<i>Z</i> _Q) Inf 7.82 6.35	Puncorr 0.000 0.000	×,y,z (mm) 38 -26 42 -40 50 -24	54 62 48
	Statist set-level p 0.000	ics: _f c 41	P-values adjus cl PFWE-corr 0.000	<i>ted for sear</i> uster-level ⁹ FDR-corr 0.000	<i>ch voku</i> ^{. k} E 1198	me Puncorr 0.000	PFWE-corr 0.000 0.000 0.000 0.000	P 9FDR-cor 0.000 0.000 0.000 0.003	eak-level rr 7 14.21 9.01 6.95 5.76	(Z _Q) Imf 7.82 6.35 5.39	Puncorr 0.000 0.000 0.000 0.000	×,y,z (mm) 38 -26 42 -40 50 -24 54 -20	54 62 48 44
2 m	Statist set-level p 0.000	ics: ₄	values adjus cl ₽FWE-corr 0.000	ted for search uster-level ⁹ FDR-corr 0.000	ch voku ^k E 1198	me Puncorr 0.000	PFWE-corr 0.000 0.000 0.000 0.004 0.785	P • 9FDR-cor 0.000 0.000 0.000 0.003 1.000	eak-level rr 7 14.21 9.01 6.95 5.76 4.48	(Z _Q) Imf 7.82 6.35 5.39 4.30	Puncorr 0.000 0.000 0.000 0.000 0.000	×,y,z (mm) 38 -26 42 -40 50 -24 54 -20 30 -40	54 62 48 44 72
<u></u>	Statist set-level p 0.000	tics: ; c 41	•- <i>values adjus</i> cl PFWE-corr 0.000	eted for sean uster-level ⁹ FDR-corr 0.000	ch voku <u>*</u> E 1198	0.000	PFWE-corr 0.000 0.000 0.000 0.004 0.785 0.000	p • %FDR-cor 0.000 0.000 0.000 0.003 1.000 0.000	eak-level γ 7 14.21 9.01 6.95 5.76 4.48 7.64	(Z _Q) Inf 7.82 6.35 5.39 4.30 6.88	Puncorr 0.000 0.000 0.000 0.000 0.000 0.000	×,y,z (mm) 38 -26 42 -40 50 -24 54 -20 30 -40 32 -60	54 62 48 44 72 -26

4.6 AFNI dataset

The AFNI dataset was created purely though the command line. The BRIKs created by AFNI have to be normalized and converted to Nifti in order to display in the results viewer. The full processing script is below. Lines are wrapped that end with a backslash.

AFNI processing commands

```
Commands issued in the samples/processing-afni directory:
3dcopy structural.nii structural
3drefit -spgr structural+orig
3dcopy fmri.nii fmri
3dvolreg -prefix fmri vr -tshift -Fourier -verbose -base fmri+orig'[0]' \
    -dfile fmri motion.txt fmri+orig
1dplot -volreg fmri motion.txt'[1..6]'
3dmerge -1blur fwhm 8 -doall -session . -prefix fmri_vr_8mm fmri_vr+orig
3dDeconvolve -input fmri_vr+orig -nfirst 0 -polort 2 -num_stimts 2 \
    -basis normall 1 -stim times 1 task.1D 'BLOCK4(30)' \
    -stim label 1 task -stim times 2 control.1D 'BLOCK4(30)' \
    -stim label 2 control -num glt 1 -glt label 1 task on \setminus
    -gltsym 'SYM: -control +task' -fitts fit ts -errts error ts \
    -xjpeg glm matrix.jpg -tout -fout -bucket glm out
@auto tlrc -base TT avg152T1+tlrc -suffix avg152T1 \
    -input structural+orig -ok_notice
@auto tlrc -apar structural avg152T1+tlrc -input glm out+orig \
    -suffix avg152T1
```

```
@auto_tlrc -apar structural_avg152T1+tlrc -input fmri+orig \
    -suffix _avg152T1
3dAFNItoNIFTI structural_avg152T1+tlrc
3dAFNItoNIFTI -float glm_out_avg152T1+tlrc
3dAFNItoNIFTI fmri avg152T1+tlrc
```

Opening an AFNI data is started by selecting File -> Open. Then select the normalized statistical image. In the example dataset it is named glm_out_avg152T1.nii. The image should be recognized as AFNI, but the Results Viewer will allow you to choose opening the file as an AFNI dataset or a single image. If the AFNI dataset is selected, then appropriate information from the image file will be entered into the import screen (Figure 17). Missing information will have to be entered manually. Results will then be shown in the Results Viewer (Figure 18).



				WFU_Pick	Atlas Resu	ilts					
Options	Help										
tlases		TD brodma 🗸	TD Lob	es 👻	TD Hemi	sp 🔻					
Aap or		s/processir	ng-afni/	glm_out	_avg152	T1.nii				1 5.	
Contrast .		Full_Fstat				-			1		
OL		From PickAtlas				-			13.11		
Correction		FWE	FC	DR	Nor	ne	R		ELT.	23	L
hreshold	{T or	p value}	0.0001		T (unc) =	9.936			63.	21	
xtent {vo	xels}		0						antes	97	
Wh	ole Br	ain Stats] <u> </u>	Vhole Bra	in Labels	5				/	
Sing	le Clu	ster Stats	Sir	ngle Clus	ster Labe	ls					
		TT 0	1	Show	(ROI						
Single C	iluste	r TimeCourse	J	0.000				MNI:	1ate voxei 40 –38 60	Value: 0	
Single (Statis	iluste tics: ,	r TimeCourse p-vakues adjusted for : cluster-lev	search vokun	ne			peak-level	I emp MNI: -	1ate voxei 40 –38 60	Value: 0	_
Single C Statis set-lev p	tics: ,	r TimeCourse p-values adjusted for cluster-lev PFWE-corr 9FDR-0	search vokus vel corr ^k E	ne Puncorr	PFWE-con	r ⁹ FDR-co	peak-level	(Z _Q)	40 –38 60	×,y,z (mm)	_
Single C Statis set-lev p 0.000	tics: , si c 53	r TimeCourse p-vakies adjusted for cluster-lev ^p FWE-corr ⁹ FDR-d	search vokus vel corr ^k E 2023	ne P _{uncorr}	PFWE-cor 0.000	r ⁹ FDR-co 0.000	peak-level rr ^F 47.89	Iemp MNI: - (<i>Z</i> ₀) Inf	14TE V 0XEI 40 -38 60 	 23 43 07 Value: 0 ×,y,z (mm) 40 -44 	62
Single C Statis set-lev p 0.000	tics: d c 53	r TimeCourse -values adjusted for a cluster-lev PFWE-corr ⁹ FJR-d	search vokus vel corr ^k E 2023	ne Puncorr	PFWE-con 0.000 0.000	r ⁹ FDR-co 0.000 0.000	peak-level rr <i>F</i> 47.89 43.70	emp MNI:	Puncorr 0.000 0.000	40 -44 44 -36	62
Single C Statis set-lev p 0.000	tics: c 53	r TimeCourse p-vakies adjusted for a cluster-lev ^p FWE-corr ^g FDR-d	search vokus vel corr ^k E 2023	ne Puncorr	PFWE-cor 0.000 0.000 0.000	r @FDR-co 0.000 0.000 0.000	peak-level rr <i>F</i> 47.89 43.70 37.12	lemp MNI: - (Z ₀) Inf 7.74 7.23	Puncorr 0.000 0.000	 23 43 67 Value: 0 ×,y,z (mm) 40 -44 44 -36 44 -28 	62 62 62
Single C Statis set-lev p 0.000	tics: , el c 53	r TimeCourse p-vakies adjusted for cluster-lev PFWE-corr 9FDR-d	search volum vel corr ^K E 2023	P _{uncorr}	PFWE-cor 0.000 0.000 0.000 0.000	r 9FDR-co 0.000 0.000 0.000 0.000	peak-level rr ^F 47.89 43.70 37.12 22.69	Iemp MNI: - (Z <u>o</u>) Inf 7.74 7.23 5.76	Puncorr 0.000 0.000 0.000 0.000	 Value: 0 ×,y,z (mm) 40 -44 44 -36 44 -28 28 -44 	62 62 62 72
Single C Statis set-lev p 0.000	tics: el c 53	r TimeCourse p-vakies adjusted for cluster-lev ^p FWE-corr ^q FDR-d	search vokus vel corr ^k E 2023	ne Puncorr	PFWE-cor 0.000 0.000 0.000 0.001 0.001	r %FDR-co 0.000 0.000 0.000 0.000 0.000	peak-level rr <i>F</i> 47.89 43.70 37.12 22.69 21.47	(Z _Q) (Z _Q) Inf 7.74 7.23 5.76 5.61	Puncorr 0.000 0.000 0.000 0.000 0.000	Value: 0 ×,y,z (mm) 40 -44 44 -35 44 -28 28 -44 30 -48	62 62 62 72 66
Single C Statis set-lev p 0.000	tics: el c 53	r TimeCourse -values adjusted for a cluster-lev PFWE-corr 9FDR-d	search vokus vel corr ^k E 2023	ne Puncorr	PFWE-com 0.000 0.000 0.000 0.001 0.001 0.001	r ⁹ FDR-co 0.000 0.000 0.000 0.000 0.001 0.001	peak-level rr <i>F</i> 47.89 43.70 37.12 22.69 21.47 21.37	(Z _Q) (Z _Q) Inf 7.74 7.23 5.76 5.61 5.60	Puncorr 0.000 0.000 0.000 0.000 0.000 0.000 0.000	Value: 0 ×,y,z (mm) 40 -44 44 -36 44 -28 28 -44 30 -48 20 -32	62 62 62 72 66 76
Single C Statis set-lev p 0.000	tics: .	r TimeCourse p-vakies adjusted for : cluster-lev PFWE-corr 9FDR-d	search vokus vel corr ^k E 2023	ne Puncorr	PFWE-cor 0.000 0.000 0.000 0.001 0.001 0.001	r %FDR-co 0.000 0.000 0.000 0.000 0.001 0.001	2000 2000 2000 2000 2000 2000 2000 200	(Z _Q) (Z _Q) Inf 7.74 7.23 5.76 5.61 5.60 4.22	Puncorr 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	 23 43 67 Value: 0 ×,y,z (mm) 40 -44 44 -36 44 -28 28 -44 30 -48 20 -32 50 -24 	62 62 62 72 66 76

5. Technical Notes

5.1 Integration with SPM

The PickAtlas routine was integrated into the SPM software environment by using the standard toolbox method. Prior to version 3, the PickAtlas used modified spm_getSPM.m file. **This version does not.** To perform an ROI analysis, one must start the pickatlas from the toolbox and select ANALYSIS. An SPM.mat is selected and the user is asked to mask via a previously made image or from the PickAtlas. The selected mask is applied to the desired SPM contrast image prior to viewing. In addition, when an atlas_mask is selected, the SPM small volume correction is automatically implemented on the basis of the mask limiting the number of multiple statistical comparisons for more robust inference.

5.2 Atlas Modifications

The last uniquely labeled slice returned from the Talairach Daemon is at Talairach Zcoordinate = 65. The information returned from slice 66 is identical to that at slice 65, and nearly identical at slice 67. There is approximately 1 cm of additional brain tissue in the Zdirection that is unlabeled. This region encompasses the superior-most extent of the sensorimotor cortex and includes portions of Brodmann areas 1, 2, 3, 4, 5 and 6. In MNI-space, the Talairach Daemon atlas labels terminate in a partial slice at MNI Z-coordinate 72. In order to complete the atlas to the vertex in MNI space, we replicated the last completely labeled slice (MNI Z-coordinate 71) with a 0.9 demagnification factor for successive slices in the Z-direction (MNI Z coordinate 72-78). Since Brodmann areas 1, 2, 3, 4, 5 and 6 continue to the vertex, this approach affords a good approximation for the intracranial contents. We have saved nonmodified versions of the atlases as well.

5.3 Accessing the atlases

The segmented atlases are saved as unsigned byte or integer data NIfTI volumes in the MNI_atlas_templates subdirectory with their corresponding lookup tables. The atlases are in MNI space with dimensions of 91x109x91 sampled at 2 mm intervals, corresponding to the SPM MNI templates. The atlases are in neurologic convention (right of image = right of subject). Coordinates were converted from Talairach space using a nonlinear transformation originally described by Matthew Brett (www.mrc-cbu.cam.ac.uk/Imaging/mnispace.html) [6]. Although there is no published clear validation of this transform, it is widely used to convert from SPM99-MNI coordinates to Talairach space. ANALYZE format (Mayo Clinic, Rochester USA) images are available under the MNI_atlas_templates\legacy directory.

References

- 1. Maldjian JA, Laurienti PJ, Burdette JH. Precentral gyrus discrepancy in electronic versions of the Talairach atlas. *NeuroImage* **2004**;21:450-455
- 2. Maldjian JA, Laurienti PJ, Kraft RA, Burdette JH. An automated method for neuroanatomic and cytoarchitectonic atlas-based interrogation of fMRI data sets. *Neuroimage* **2003**;19:1233-1239
- 3. Lancaster JL, Summerln JL, Rainey L, Freitas CS, Fox PT. The Talairach Daemon, a database server for Talairach Atlas Labels. *NeuroImage* **1997**;5:S633
- 4. Lancaster JL, Woldorff MG, Parsons LM, et al. Automated Talairach atlas labels for functional brain mapping. *Hum Brain Mapp* **2000**;10:120-131
- 5. Tzourio-Mazoyer N, Landeau B, Papathanassiou D, et al. Automated anatomical labeling of activations in SPM using a macroscopic anatomical parcellation of the MNI MRI single-subject brain. *Neuroimage* **2002**;15:273-289
- 6. Duncan J, Seitz RJ, Kolodny J, et al. A neural basis for general intelligence. *Science* **2000**;289:457-460